

Appl. No. : 10/063,549  
Filed : May 2, 2002

### AMENDMENTS TO THE CLAIMS

1-3. (Canceled).

4. (Currently Amended) ~~The An isolated polypeptide of Claim 1~~ having at least 95% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide of shown in Figure 46 (SEQ ID NO:46);
- (b) the amino acid sequence of the polypeptide of shown in Figure 46 (SEQ ID NO:46), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide of shown in Figure 46 (SEQ ID NO:46);
- (d) the amino acid sequence of the extracellular domain of the polypeptide of shown in Figure 46 (SEQ ID NO:46), lacking including its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209956;  
wherein said extracellular domain is amino acids 23-223 of SEQ ID NO:46; and  
wherein said isolated polypeptide is more highly expressed in esophageal or kidney tumor compared to normal esophageal or kidney tissue, respectively, or wherein said isolated polypeptide is encoded by a polynucleotide that is more highly expressed in esophageal or kidney tumor compared to normal esophageal or kidney tissue, respectively.

5. (Currently Amended) The isolated polypeptide of ~~Claim 1~~ Claim 4 having at least 99% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide of shown in Figure 46 (SEQ ID NO:46);
- (b) the amino acid sequence of the polypeptide of shown in Figure 46 (SEQ ID NO:46), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide of shown in Figure 46 (SEQ ID NO:46);
- (d) the amino acid sequence of the extracellular domain of the polypeptide of shown in Figure 46 (SEQ ID NO:46), lacking including its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209956;  
wherein said extracellular domain is amino acids 23-223 of SEQ ID NO:46; and

Appl. No. : 10/063,549  
Filed : May 2, 2002

wherein said isolated polypeptide is more highly expressed in esophageal or kidney tumor compared to normal esophageal or kidney tissue, respectively, or wherein said isolated polypeptide is encoded by a polynucleotide that is more highly expressed in esophageal or kidney tumor compared to normal esophageal or kidney tissue, respectively.

6. (Currently Amended) An isolated polypeptide comprising:

(a) the amino acid sequence of the polypeptide of shown in Figure 46 (SEQ ID NO:46);

(b) the amino acid sequence of the polypeptide of shown in Figure 46 (SEQ ID NO:46), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide of shown in Figure 46 (SEQ ID NO:46);

(d) the amino acid sequence of the extracellular domain of the polypeptide of shown in Figure 46 (SEQ ID NO:46), lacking including its associated signal peptide; or

(e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209956; and

wherein said extracellular domain is amino acids 23-223 of SEQ ID NO:46.

7. (Currently Amended) The isolated polypeptide of Claim 6 comprising the amino acid sequence of the polypeptide of shown in Figure 46 (SEQ ID NO:46).

8. (Currently Amended) The isolated polypeptide of Claim 6 comprising the amino acid sequence of the polypeptide of shown in Figure 46 (SEQ ID NO:46), lacking its associated signal peptide.

9. (Currently Amended) The isolated polypeptide of Claim 6 comprising the amino acid sequence of the extracellular domain of the polypeptide of shown in Figure 46 (SEQ ID NO:46);

wherein said extracellular domain is amino acids 23-223 of SEQ ID NO:46.

10. (Currently Amended) The isolated polypeptide of Claim 6 comprising the amino acid sequence of the extracellular domain of the polypeptide of shown in Figure 46 (SEQ ID NO:46), lacking including its associated signal peptide;

wherein said extracellular domain is amino acids 23-223 of SEQ ID NO:46.

11. (Original) The isolated polypeptide of Claim 6 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209956.

**Appl. No.** : **10/063,549**  
**Filed** : **May 2, 2002**

12. (Currently Amended) A chimeric polypeptide comprising a polypeptide according to ~~Claim 1~~ Claim 4 fused to a heterologous polypeptide.

13. (Currently Amended) The chimeric polypeptide of Claim 12, wherein said heterologous polypeptide is ~~an epitope~~ a tag polypeptide or an Fc region of an immunoglobulin.

14. (New) An isolated polypeptide having at least 95% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of SEQ ID NO:46;

(b) the amino acid sequence of the polypeptide of SEQ ID NO:46, lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:46;

(d) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:46, including its associated signal peptide; or

(e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209956;

wherein said isolated polypeptide or a fragment thereof can be used to generate an antibody which can be used to specifically detect the polypeptide of SEQ ID NO:46 in esophageal or kidney tissue samples.

15. (New) The isolated polypeptide of Claim 14 having at least 99% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of SEQ ID NO:46;

(b) the amino acid sequence of the polypeptide of SEQ ID NO:46, lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:46;

(d) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:46, including its associated signal peptide; or

(e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209956;

**Appl. No.** : **10/063,549**  
**Filed** : **May 2, 2002**

wherein said isolated polypeptide or a fragment thereof can be used to generate an antibody which can be used to specifically detect the polypeptide of SEQ ID NO:46 in esophageal or kidney tissue samples.

16. (New) A chimeric polypeptide comprising a polypeptide according to Claim 14 fused to a heterologous polypeptide.

17. (New) The chimeric polypeptide of Claim 16, wherein said heterologous polypeptide is a tag polypeptide or an Fc region of an immunoglobulin.